


RECORD



T. N. Forzberg
Coelection Books

31783 - 32467

Pellerila, and viels lose Book

/°C .0 !

(2005) - 32057 (2005)

	PARTICLE AND ADDRESS OF THE PA	
. O' 1 E 9 E 1		
8.48	Tanta	
7-7		
0.40		-153
51-00	Profession based on the contract of the c	
El-II.	The North Land and the Artists	
	n-francisco de la companya del companya de la companya del companya de la company	
	The state of th	
These		
PULSA.	**** IN ICAN TE *** *********	
	and the same of th	
101403		
27.457	THE RESERVE ASSESSMENT OF THE PARTY OF THE P	
100-100	narre de la companya del companya de la companya del companya de la companya de l	
D-35	ascate-tage	
50-52		
19-19	the state of the s	
77-53	The second secon	
25-25	The state of the s	
77-17	TOTAL CAPTA TO BUILDING TO BUILDING TO BUILDING	
29-83	The state of the s	
BE-SP	· · · · · · · · · · · · · · · · · · ·	

Collection and Field Note Book

No. 27

(February 24, 1950 - April 9, 1950) (31783 - 32467)

Ngarakabesang

MARIANAS	Page No.	PALAU ISlands	Page No.
Saipan, Kagman Point 31783-31793	2-3	Urukthapel, Ngebedel32140-32241	100-125
Laulau Katan 31794-31804	4-5	Koror, Ngerebe'ed32242-32272	126-131
Chacha 31805-31806	6-7	Ngarakabesang	130-139
Rota, Songsong village 31807-31814	8-9	Koror, Ngerebe'ed 32310-32312 //.	140-141
Shinaparu 31815-31829	10-13	Ngerbe'edesau 32313-32319	140-141
Tatacho and Songsong 31830-31837	14-15	Ngliaklolubed 32320-32323	142-143
Sabana	16-21	Ngarmid 32324-32331	142-145
Malote 31860-31916		Ngleaklolubed 32332-32349	144-147
Saipan, Tanapag, Chalan Kavoa, Magicienne		Aulupse'el, Landlocked Bay 32350-32375	148-153
Bay, Kugman Air Field, Puntan Laulau		Babeldaob, Ngatkip Airai 32376-32391	154-157
Katan, Puntan Hagman 31917-31935	32-41	Ngerengel Point 32392-32398	158-159
mount in an and and and and and and and and and	,-	Ngatpang, Me'ebe'ubul 32399-32407	160-161
GUAM		Babeldaob, Itan 32404-32433	160-167
Agaña, Anao Point, Agaña Vista		Ngeremetengel 32	168-169
31936-31943	42-45	Itan (see p. 162) 32434-32438	170-171
***************************************	72-17	Me'ebe'ubul 32439-32443	172-173
PALAU ISLANDS		Ngeremetengel, in village 32444-32467	172-177
Koror, Ngaimid 31944-31945	50-51	Notes	180-181
Ngarmalk 31946-31950	52 - 53	Hydrometer	186
Peliliu 31951-31960	54 - 55	nydrometer	100
[18] [18] [18] [18] [18] [18] [18] [18]	56-61		
Angaur 31961-31986	62-63		
Peliliu	64-67		
Limestone Island	68-71		
Angaur 31987-32003			
Peliliu 32004-32015	72-75		
<u>Urukthapel</u> 32016-32040	76 - 81		
Koror. Ngerabe'ed32041-32115	82-93		
Ngarakabesang 32116-32139	92-99		

92-99

32116-32139

T.R. Fazoerg Coelection 1900 Cx

31783 - 32467

Jegin with #31783 end with #32467



Standard Miniature Blank Book

No. 665 9½ x 6 120 Pages Units No. 667 9½ x 6 200 Pages Units No. 668 9½ x 6 300 Pages Units

Made in the Following Rulings

Journals, Day or Cash Books, Double \$ and Cts. S. E. Ledgers, \$ and Cts.

Double Entry Ledgers

Records with Margin Line

When ordering give Number and Ruling desired

Made in U.S.A.

WHEN ORDERING THIS BOOK SPECIFY
STOCK NUMBER AND RULING DESIRED.

A BOORUM & PEASE PRODUCT

.of sg. 1.00-1.25 1.25-1.30 1.40-1.41 1.40-1.41 1.40-1.41 1.42-1.43 1.42-1.43 1.50-1.53 1.50-1.53 1.72-1.71 1.72-1.73 1.72-1.73 1.73-1.73 1.73-1.73 1.73-1.73 1.73-1.73 -t

2 1950 Marianas Laipan Teb. 24 - Hagman Point, good patch of undisturbed east coast. firest extends olven 7 ringe of frest at top cliff to a bench that cliffe that below this of limestone cliff 31783 Gossyfrium along top of cliff suffrutercent herb, much branched, Im. tall, flowers cream turning red. 84 Balaniella fleshy bracks pale rare in frest, under frink, flowers dull rose-purple, tuber buff. By Cynometra, alyxia, etc. not evident which was host. tree 5 m. tall; plower 85 Excavatio mananenses common tree in frest tree 10 m. calf, trunk 86 Pisonia grandis large; flower green. occasional tree in frest 87 Phaseolus vine, fruit blece black open frels 88 alyxia go common in forest asplenium rare in well cavity at tof of. cliff, very dry, wilted when prihed pale green. Deeringia amaranthoides common around edges of fred. low, wind-beaten shoul. common at edge of cliff. with anial roots; fig, whilish when soft. low shoul, bare of leaves. tions one plant with # 31791 erect herb , m. talf. / numbetta

6 1950 Laipan 80 m. Feb. 24 - Chadra (near Kagman ai, Field) roadside in abandoned sugar came field. white; fruits pendent. 31805 ferbaning andiflere common along roadside 06 gossyfrium helbaceum

8 1950 Rota Feb. 25 - Longsong village weed around dwellings culms ascending 31807 Chloris radiata small tufts 08 Cypremia local efects spreading tupts 09. Eragrostis pilosa common great liana, tangled and festorning trees. 10 Mucuna gigantea common in thishets 150 m Teb. 25 - 1/2 minute of /anya thickets and openings, the 11 Pyrhosia. abandant on trunk of bradfruit tree. trifts, culma erect. 12 Sprobolus occasional along wad Tough vine climbing 13 flagellaria indica through the bushes. occasional in thickets flowers whitish. trees up to 6 m. tall, 14 Moringa aleigena flowers white. common is abandoned plantation

Teb. 25. south of thenapary.

flats with thin soil on const substratum, covered with second-growth thickets.

31815 alpinia speciosa around old dwelling-site

(cosal a round of Cod dwelling site, in shade.

17 Cassia tera rare around old dwelling site

18 Deris elliptica rare around old dwelling site

19 Pennisetum purpureum common on abandoned cultivated ground

20 Persea americana
planted around old
dwelling site

5 21 Caesalpinia major (Medic) Excle Daudy is thickets

occasional in thickets

22 allophyllus nare in Unishet

23 alyxia common in thickets 24 Phyllanthus 180 m

herb om tall, white calyx waxy, white tipped with red, staminodo yellow lined with led with erect herb, m. tall, blowers yellow

sterile vine, leaves
green above glaveous beneath.
forming large thickets
2-3 m. deep.

tree 10 m. talf, sterile, Cover dark green above, glavious beneath, no conspicuous order. vine tangled in small trees. should im. talf.

vine tangled among busher, buil blue black, erect sparsely branched should I'm, toll.

型是是是自然的可以是不能可以

71575 Balaniella

in thicket, probably

parantis citles on Perma

comprehense or Engenies palembis

1 66 I scha triantha

2 local in thicket

29 Randia coehinelinerais

c ver mon in thicket

They flat, we work one constructed and cultivated a fruit beginning to 5-10 m cell to a construct on the construction of the c

frant dull yellen ochen fleshy staminete flewer white siert should zig mital bracts pale toward bass should 3 m. La G, fruit

I sen (turning to crope colon

refre, in other planty).

Feline - Labrana, highest bull en intorne Exposured, voleaning material erreging from con (limentony terriary !. Alofer grany ravins brushy, and trilltops covered by during fruit of Oca in confuse,

31878 Cypreme becasional on flat. Terlas 39 Hyporty trum

being correct on gully

40 acacia confusa men. abundant, dominant plant on hill top

41 Cypenes common on grany stope.

42 Hyprotytum common in shad on floor of acacia freet

42 Eyperus frerax commer on open gary do 14

44 Hyprocy En construer in what is a first

of concia for it 45 Whiscanthers of wideler

corner on grany aloper 46 and collection, everty ockersiona, in Sustry review

47 Centotherglafiliaces common in stable of hear tree frest on buildy.

luft, ascending it out (/ wei !)

Luna a creit truft.

tufter very sinact, plants every.

contine a secondine

- Carge clumber.

- frances 3 am, long, franctiate tracending.

of the standard was

dere blower with

everthy min, elimiting

foresty borb, 1 m. cace,

flowers white, anther

from 7 contignions,

show 7 m. tall, if full black,

- show 2 m. tall, flowers,

white; representation but transluced,

19 Eightantofine mote.

Common on france soil

Es Emilia some hif slin

-a on from of slid green

in volcanie soil

I typolium bengy kowing

confinency finteler

Jeb. 14 - second main la sag from top thick hangled evos do on way (coul limesters, Cargely Hernardia, France maranarya, Clasorarya, c.E.

52 Françainella

oclary was

53 Humata cornmon on tree trunks and brancher

54 Belvisia mucromala occasional ontre turners

55 liker g warmensis occasional in undergrowth

56 Lolanum guamerae Mers. one plant deen along road

occasional in edged facil

58 Marsa.

1854 Breilagirden in marianes.

7eb. 27 - slopezabors

einestory, world, or carrieral

einestory, world, or carrieral

einestory ren in to or

boulder frank in an down;

eloper traverses by gullie,

or a not which is,

or a not gullie,

or a not gullie,

or a not gullie,

60 forghum hale sense somall fratch seen.

be Dongopteric conversor volcanic soil

or Phragmiles Rarling water awing with running water and surpress otherwise down maked by meseanthus.

13 Ey store serva a l'amissais.

few plant, in mud
in na vive to them

14 9 Grang y no termision lin

occasional at edge of experien

The second of th

tangled mass of culma. (on faifian called "german y ass' because antivoluced as herse feed by germans; serious pest).

This one of rostrate.

Crimical.

grant finiting.

C. Mer Kisi (Hass K.) sobott at. DHN: alsn (US) 6/1998 Collica fa ca nalicans on iconestory western, with

peacoda judinen.

by Hedystis foetida so

67 Lezandreen we or later porturation occasional " near ended filan

68 h my pleis on coral limesters or wherefi

19 inphobia or era inner, adjust anded play

70 Villavia

on fallen log in ravins

11 treus tindling on limestone outerop

71 Trema cannating 2 in cleaning in rawing bottom

15 freus

en timestone cruter b 74 Optiernen compare of

occasiona in most consist 75 Dongopterise lace in wrist, acien

76 l'agreculina . L'annie ventricosa one and again of action of an intereforement court construction.

77 Violen well elimbers - up more a in another

78 Hernandig telypinthick Tygems common in wooded . rave.

79 allynium ded in trading

in struct; fruit exacts.

was a comment of the contract where the state of . It will Im. Take it.

shipport of wet sale, build. ered, pe. while.

whenter several in long smalltry, leaves green beneath; but marion. shul, banyan lyly; - foreging were. 12 - Carlo Carlo

- this your fractions, has ice of closely from nelisa. the terms in a second of the terms and the

of level - value. made in - release & been and tree 10 m talf, florer in white fruits on ground obsence the. This army thick, exect.

3/880 Cantharospanien aca alawite.

8) Especial methodology places

21 feta in brail

common on draw earth

84 Mornora Settaquating abundant on wet mud in

8: Physalis lanceibolia hees.

86 / wasaca e ecta corn mon in muddy place, in waring bottoms

187 Hypotis capitata
com mon genally in
openings in this carthur

to Carrea along trail

89 Grélalaria Immerciala Desa.

tanged gay sin.

2

productif steric

purjet in early, white at idge of and; flowers frat yellow

flowers yellow.

for herby in late, flowers

a cest herb.

form.

4

1950 Rota 26 7 clos 47 - Alapa, - wed - . de + malote cultivated frield and don- gal. on level et ey. whech in. 290 He list of seen indescent. no har man an almos god of tasfialum conjugatum common a sound word - year indoor y and 92 Hyptis even mon weed 93 Lactylectonium deg yptimm common in was and cultivated 94 Delichos lablatic. other over cultivated 95 Conchrus browning R. 25. common generally 96 Portulacy oferacea L! common in cultivated ground 97 Digitaria ciliaris occasional in cultivated ground 98 Eypenie rotundust. common in buttirated ground 99 Brenhavia diffusa occasional in cultivalegy out 31900 Cucubita maxima or Phyllanthus man schom ath. Mist. corn man in cultivated ground 02 Maranta arundinacea L. cultivated

the ct - franching Krome affect, of Course from Co from from Afreading by - a toler. flowers I m. Call. - opreading lufts. ground - or of; flowers have when - opreading tuft. prostrate, bleshy; flowers yellow, uf & I cre, across, a starrens 9-14, style translers. cut in a assending; teams, conservant of Caucous. prostrate leave, white a junglist, beneath, flowers · purlied ... prostrate leaves fortles with gray; flowers crange.

tuber, white, tasteless.

1956 Rola 31903 Lida workeystigh. do on mon weed in cultivated ground 04 Malvastrum er ove andelianum correr a cool in outtinately an 05 dyned rella modifiling L. corremen weed in cultivately ground. Ob limaranthus of ino me l. conmonweed ganally 07 anashis hypogaea L. cultivated 08 didgacuta common wood generally corn men in cultivated of our 10 19 idens pelo sal. occasional generally II Emphabia histal. common weed generally Centrosema pubescens Benth. are in cultivated go and 1) ageratum congroides L. common word generally 14 Celipta alba(L.) common weed in cultivated quand 15 Commeling benghalensis occasional in cultivated ground 16 Mimorza invisa Mart. abundant in this one locality, covering long c a ear of go and to exclusion of other plants

e set; here gar, flow, owner. e cet, flower and ope. likel; flower gellow. creek translied title, - vein white, prostrate, flowers orange. banden and leaves appearing distribus. - Com- midlet. crest; diet yelli a, an -whiteel, my + mall. Lead & queening totalicity. provided to flower, white. enert, flower while. prostate -prostrate extensively serambling, finning a deep mut; flower, fireful leaver somewhat rensitive, but mot extremely sed.

according to my placemany the regulation of Rota has charged very little . Lerce 1946. Leceating granca beck increased are und the village and a onny the ori port. The old village site on the month side has been abandered and expetation, has taken it wer! fuch cultivated this grave graptofityllus, Pseuderantheonum, ste. ax well established in the vegetation. Plantation of agare sisalana Moringa oleif ab, etc. present in healthy condition Vateland young Carraina have beenne prominent in many places on the middle terraces. I don't remember their from before. The coral flats a mund the air strip, with almost no soil, are still covered Cy Thornwen congesta and Passiflora fretida, with exattered molochis berches. Conga bonariensis i common near one edge of the air strift not collected.

- con wild, the pale a collinally on the alexander of the land to the collinal constant of the alexander of

The third vegetaling der eclosing the subsaid on the East could of horgany has duce all-brought and the exil consider by the Typhone 01. Mov. 17, 1949. / was Even-well sway from shore to war of by self male. It ave sain to have come up into mininge ecce, On with court, the the broad liver terrait, a c seatle if fring yours active fores. Love of they - were tradly forthered by the light won. Love their

effects of this tylihoon is

-evell of that of 1944. (sedent with

7 feb. 28 - Tanafrag roadsides and more to place 31917 Eclifeta a Cha(L.) common in damp fortibable of 18 flack y la phela judica (L) Vahle common locally

Las has Brugaing conjugate, the transfer the transfer the properties properties, the nadia

19 activated

such, flowers white.

Hereading franching but, flowers who words; deads, green.

some well to - nating evel well from the formation thereof from the formation of a mitter and the season of a coldist.

Man. 1 - B. Bench between Interlagman and Funtan Faritan Kathan Primary forest, a. even height lybe avoid 10-15 m. tall and Banking toning as. dominating to eathy, each prothering, abundant red Civy in their own the. Collerwise the principal undergrowth, is a f langled wine, of Cerysia. decendary her species are que min, mela rollefier Fice, Crything (Excally Hillie Vandame Totalia erch To notanu, tectorius, Asiabius (Escally pure stands) for whering, Raportea, Visoria grandes, etc. Recordary undergrowth speciesar & lagellaire Vsychotria mariannonci The terrain is a -serie, of limestons benche with wingh for the in - places, with black soulin lager 2 ma possible, pH 7.5 or higher

in the state of more - were but dit in Charage, much in composition our managed delays. I have stand it will - 11 . Cie. Calleccife, Lumedin in , word illedian , it to . com eget - wedge to wit. There is white a me in the minister where . True plant in Contract a ruccession cooding from the chip house to Howard out grantend to to the colored of the Vines acquia forming tuba. I mly & ferns seen in one. there on with diffs at we Greet Pyrhonia, Potyhod. ecot. + afferium cared.?

36 1950 Laifean

Mar. 1 - Magisienne Bay

top of beach,

31920 Vilex

common creelly

man 1 Kugrman ai, field around old home-sites 21 Backeria crestata one small frately growing vig nously but not of reading 21 Polysein, frutiesser ene frant seen May. 1 Puntan Laulan Katan timestone 23 Leavola fruteseens/Mill.)Ks. common in fit on low part, expressed to salt Muay. 24 Hedyotis albidofoundata (Man,) Fort. limerton 75 Cassia in afing a erry demertine elyn com mon in grass on slope

Leading stort, with a large that the strict on fre strict shoot of forward lavender.

Kod. old 10 shot command and area on topsocham.

Ah wall area on topsocham.

Ah wall 1.5° - m. Call;

Al wall 1 m. Lalf, densely to wally; storicy.

, much branched struck

in m. tall; have on

Kod. roll 10 view of wooded
terrain several of org. on worded,
rolagial bench at sea level.

Low fold nt, - (cance
a mall, flat, thick, flower,
fra yel; fuit immature.

prostrate, flowers
white, buds purplish.

flowers yellow.

front ate, g ay given;
flowers rate, g ay given;

7/1927 Cralis enviculate L. det. Romberg on rough live elong

Man. 1 - Bouch between I water Hag man and I water fullan Katan P. wimany forest on rough li mestory, black soil infinite, 3 hapitea

1 29 Pouleige

occa simpl

dwarf plants of wing on Whing of boulder in ting of boulder in ting

4 31 Leteria

32 Balaniella.
. small colony under Cynorretra (possibly best)

of Comer yellow

tice 8. m. Lall, evod very soft, lunder ou hile;

- (ca very correspondence)

- (ca very correspondence)

- (ca very correspondence)

ich y be neath, dearly

gensey of een alone.

frant, a wax, buff, colon, weak,

frant, a wax, buff,

colon, bule color a lie the.

dast, as eaps; via minute

from a minute. (reprint a stabl).

farest, on ground,

5 14 Canthium poloralum van tir ianens

in a at colgist found.

Lead for each, fruit

in mailure.

proved into a a peting

que and; flowers maion.

26 - 1.5 - 1.5 - 1.6 ans.

26 - 1.5 - 1.5 - 1.6 ans.

42 1950 Guan Mar. 3. - Agaña 31936 Homora 2 roadride

Point Patch of rather when when fatch of rather when welly damaged by the typhon, extending from inland, north of white banta Rosa to the edge of the cliff- obvion the cliff and outs the social strip, on limestone soil,

2 37 Kleis trippartita

18 Vitres qualumense
occasional on plateauin undergroots

4 40 asplenium on who of a ciff or creasinal on who of a ciff.

41 Hed yoti, bifling at fording at fact of a Ciff.

flower purple.

Pandanus dubius & tectorius.

aglaig, quetlandy specious.

Eynemet a Classeylon,

etc. mixed on tops of

els plateau much cycas also.

C n cliff beh scarpur

becomer olominant.

Undergrowth langely

Triphalsia.

should in East she, white, whi

sten .. e et is assisting

44 1950 gram

March 5 - agaria Vista

cultivated

31942 Gina orellana

y 43 Sycona Chimensi,

should 1.5 m. tall flowers orld-rose printe.

March 3 - gingarmid, around old comply grounds

4 45 Polyseins quilfoylei

prostrate to a seending, floweren purpece, limb almost white love siels of tube yellow. arect thrub 3 miles. leaves variegated, with white or cream on margin in irregular pratches, Leaves turning reddiely will age, sinf Corecener ancluster of they and -panide of a short raction, flowers bronze without pale within, field, 7.5 mm long, 1.2 mm. wide, ovate, with an incurred book at tip. is over surface carinate, petal, won reconse reflexed; damens e red, 5, exercited on follamente 2 mon long, anthers bluntly sagilate, set -lily harpion points; ityles 3, forming a column, but sefarate and reflected on summit of the & triangular black print. Petalsand stamens readily cadresous,

Cy Landa

it a chio- ngarmalle (a part of Ulufise's () dard, between Korn and Malakel. cutoff by a cornel). steel clevated rough Ci mestere, correced with many frest, with

common in undergrowth

47 Eurolia occasional in undergrowth

48 Ophio hiza commenda. neederg was,

49 Tichmans epiphytic ontreotrunles.

occasion afin underg outs

ngarmalle Kod and 3 on or two of the

endused home lar or G.

but before their an exercis of wage walley acommerce, of war or on whit in all destion him all (meally ato tower (finish role 3) strute 2.5 m. Lall -young gowlf downish deprecised forbereent; flowers - white; why - fruit white, plestry. recendentief or large shoul 3.5 m. lalg; leaves bught queen; bud white, - freet 9 cen. should Im. tall, teave very pale beneath.

e est herb with spiral etem up to 1.9 m. tall; leaves transferent; fruit golvs.

171 dayler segretaling der

neck is let the war west with the second the second with a second they look from

1951 Plushed indica

occasional, all seen were

small sterily plants.

r 53 Bidens pilosa L.

3 FU MILITARIA PARLEY

6 55 imbristyles

a 56 Egizerun

, 57 Lan Tilla replan

is by milacarrum

y 59 Stackytaysheta articoloria

co Congra canadensis va. posible (Null)

712 - ---a moran grick profession file and it - second detributes on Signaturaning of In I terms was in sep-amore in felores or enrich alore land, i ochiolien an important constitues. Cut on tweatern san 2/21 (Frange 1) France . a. c. en v. has become clominant ... many places, almost a frue stand in som. Conumber of species of mative tree. Jensiet there, incl. They ta, Cleidion, Ponteria, Diospyros, etc. · Macra is -very common in undergowth. One Cycar circunalis evaz seen John, of mos - Wich Creant big & and 10-12 m. Tail. me granity. Out here the many ove awamp has grown up 11 be a tellestonest. and the outabils are in men. places, langled thickely. alroma is occasional.

Pelilin t

1) ---colored of acadering 120 22 is 1-1-1 - 1 -- 1-2 tall almost forthis inan Lie reallers ... in a more falan laston. The lager varie from obe pay variains to my bottleg sentuguerer, mellow quet, bright freme of eco, and ryellow. Rea fuellow sard leaders have feathery is work en them. He islands are dright green, -entries cene cies itselficiation rrosaicof different gan with n seen close by, with of they wary from quat. into dome! Title frealing, bundreds of feet bigh, drein a time Ingan Crages or laystache, all a c eater under at the sidger Cythe Leaina notel, at legular-that it seems to have been carred out artificially. The small haystack island, seem to brave been eaten werently ly cattle, leaving a

Restanting er. Mod. will 11-12, Pannoll H. coon liby tructure that a typhorn might acmost tip over Landing and clembing up bast this moleh is no small frotten, except when the 1 -coa ting beach on a few of the islands. most of the side of a ve ticas e liffer, free loved by vegetation which clings to timy e covice. and have oben. 10 Go eventhe - 2 Coperas deas the in resticat, of ense in fruit correct the fantasticathy fulled or not objected Li mer Cory - 2 a of- El RE. foil incolorment our existorit, thy treez cy conceing in a covier bend fits al most in ce in y drofronie condition. Lorne of the tices reach an enormous size. The stry lines. fartastis erough in general author, are breezewally adored with a Carilla, feather shirter ilihe. palm r (glubropsis). Casuarna, tos, occasionally vaires the stry cine, and

as conspressions of jest

lucilling la la ger istande as armall later and fronds with no will cuttet. Fish of several solly eren la ige over, inhabit there excluded pools, and there in littly the about that there are subtinioned passages to the sca. the water winer and fall, with the tides. In at least one of these, on the quest, - heirog Cyphia - Thy iscand of thrule thatel, there is a 2 mall mangrow Luca mil.

Lunoun dingthi, whole collection, from the Babe Clarb, Know and Malahal and regard habe sang on the month to Pelilin in the south, is an enormous barrier suffer from the carter of the Cagron, but when approached it shows are white line of leaders and spray with, is the south occasional flat given seef inlate.

1950 Palan Unulithafiel 77 76 East march 12 - fouth and of Unitethapel, where wait goes up to lighthouse surface of courted Circulatore pie. in a cucling 37016 Calophythum inophythum not are a except on fuer 17 findreslylis mail in of was on 18 Denis Vifoliata prostrate, langed; flowers finding white langer on surface 14 Stackytayleta wilicarpolia erest v.o.m. call, leave regore, flowered ef purple cliffy of papal flinks the 10- Licente but with 2 hours on tack W Maesa stowers while, free t common near barry Low he to me her is its. dyf m fre cliffer of coral limestone duce was - the wife, did not be il Fier Wrelvig mudral - m. Keng. tangled with ans party it angling , worte commenced. another species of green refu fruit of wife ing i dull, rathe pale yellow. - stender showle or Geno Callicary in a crip well my malif try & m. tall, spreading; 23 Frence occasional seril. 19 repenther over rabilis vine-like; raceme olcast fitchers with many deal arts. climbing another regulation strubsand amal trees, 25 Eugenin abundant just above bendent; fruit orange.

Unwlithefel 1950 Palan 78 Maytemus palanica (Loesn.) Forb. people at stant, gy on no of one 5,70000 Corve branches willed con mon questal me wale by wall to the on sandy fottom of smell beg - etcit. 27 Enhalus occasional in water 1 - um day indense wet forest on trong he swated cornel comestors. on and immediate. Ourself word is second- gowell of Piefetures and Macarange · leaver frallig - cre mentlig. - flowers white. ore casimal in road, in shade fleshy, prostrate to 29 Pilea mierophylla a seehding. common in roadles small trec. Creaty tole Macarangs Macananya seems daying one of down i vante in secondary fourt along old road Lower Il tree 5 - m. Las. 32 l'épitures à igenteur frest along old road culons tangled, provilate, strate, in tal. 33 Ichaemun almost fruit stard for ming she won to mother chart of made from deat 34 Loyofiteris common on banks above wad alender, who wer; breads white 35 Callicantra - fruit white funds overt, atizone sprostrate rae in revolute along wal 36 Dayofitais common along old word

PLANTS OF THE CAROLINE ISLANDS

PALAU GROUP

Polypo ium scolependria

Locality Koror Island ()

Occurrence
disturbed and second growth vegetation

Remarks
(Brought in by informant, Alkong, as voucher for ethnebotanic information.)

Pacific Vegetation Project

1950 Prem un nyammen 93 92 James " (proposer) 32117 Hibiseus ing sether of mangifora in its 10 artorapper actions L. ngiet + mader" The morney morney morning My for decrease of the reason from twenter mention thatile 14 Mips puticans 1. " for tous ngural range bigs L ficus in couling chartery, enter flowers yellow 7 14 Carris occidentalis 5 15 ingrame" pleasant oly March 15 - around ortal Japanese supplane base west side Typrochaterang). Contant thickets a red open places estimb ; m.tall. 32116. Thos having stobiliting common in roadside thickets herb 0.7 m. tall, florence 17 Desmodium common on weedy readid, March 15 - south side of western perinaula of ngardiater any). ofpen stofus, a cenud and in places recently burned, surrounded by thickets and pol of feel.

Magaraleabesang 1950 Palan Alender shoul, \$ 1-3 m. 37118 Callicagra tall flowers and fruit accaeiraf in thickets - light frugle. oreel - shrules 1-m. - (all, 19 Hedyotis common in open quant ingle main tem, leafless below; follows feller - quien; flowers - fall lavender. ro accasional in edges of - eti web 7.8 m. tall, Cactiferous; folowers white corollar slightly - quotour at base. should 2,5 m. tall, leaves 24 Celtiz edgispourse, as, glossy above; fruit, gill, one or two tuning purple. - strule 1-m. tall. 22 Phyllanthus pilaminois Hosek edges of thickets talf heren, flowers whis - refre fruits crimson. thickets and edges of wood, truites zon tall, 24 Decarpermum fruticonum corollar pinkish white, common in thickets and 1259. Mallotul stainens purple. should 11-2 m, tall, of flower yellow. laco common in thicket, and burned ever grand somall dense trifts; common very locally on tal necestly burned over steep - stope, worth Un wil. tubers eaten. "chubschuf" 28 la cea levitopetaloides ofer - which

ngaralealeanny 1990 Walan 99 98 37138 Wilastona implabillieur common on open stope. Flenninging 2 trobilities whent 1.5 m. ta & celasionaf-inthickers

nas.17 - on east richt of m. 1. d. rementa of thek thate -is an of ear of election frant to all the evangement - by an even seemd growth it is to Polyppolium scolop. ground cover then 5 m. Result of burning oil in water mar. 14.1944 obviously trunced of veg- within influence of oil find, locat chief ing-Tilledel. Porti. a lalf lem. of overel affected, relacted lots of ridge in 12 - 3 - 12 (act, give a 2 mon the inter green appleadance from dedistores in contract to way a many a hacled subset primary forest.

Compliant cliff organistics,

Fiens 24 Pandanns text.

Gloppyllus, Poryscias,

Cragenia, guetlanda,

Forteria Finbristylis

Cymrsa, Hedyotisalbria

Pismia grandis, 19 rays

Meny ty, Glub is/sis fras fight
ey; Terminalia Eathly in,
Calipanis condifolia, Pichecoldium,
Pandamus dubius, Leaevola,
Pipermin asplenium 2 sp.
Davallia, Polyprodrium sevel.,
Dracaera
Casucina is very emmon
on with and withwest
facing cliffs and lower
slopes, scarcely seen

chewhere bases of trunks

Lufaces Cilie an algal holdfast

expanded, evering well

Pun well 12. of secondary

Kord. well 12. of secondary

veg. on burned fail,

ald some - shot, in

Cal quintly of intende

not south, junior and

Unitethated 103 1950 Palan 102 ingebedel, small passage permitting march 17 - 1 - small crater- City entary of Calle. estand m. of unulsthapet No. 3. 141 to 82166 limestone cliffs in cliff 72/40 treus change wer rich to South di medon March 17 - Deside of southwest int, - poetty freminning of Unitalhabel on label, and on catalogue near old Cultured Pearl establishment cands as encountered. on steel rough rock colincera stofer. A densely wooded Caly fruit Vrocis peduneulala ving tangled in underg worth, · Call, 43 freus ? severy occusional in woods intuit, 44 Dizercalya? common in undergrowth 45 aplenium common in with crewise & porhet, . wel. on eliff, alove sea -ce misea adeal - church, 47 X ylerand arely flowering. in forest on redge stemel-1 on Eacl; 48 Payshotia fruit red. in frest in sleep slope and at top of beach 49 Canavalin cathatica Thomas atung berbacer, vin, climbing in trees, flowers common - magenty. eline in andall, flowere 50 allogely les while, finit quen. common at top of bear

No 32141 5 82166 change were rich to South on label, and an catalogue card, as executived.

Mulsthapel 1950 Palan 103 102 March 17 - mall crater-like entary of Cale. estand n. of unubethold limestone cliffs should pendent from cliff 25/19 t-ieus avalled beaches, dimedons alffor, rand flat, and small mangroversam, March 17 - Deside of southwest - potte perinanda of Undahapel near old Cultures Pearl establishment on steel rough rock I filesty ste m, eniaceous leave, white fluid fail. sloper, of densely wooded . 41 Proces pedunculala leave, fleshy wine tangled in underg worth, small tree 8 m. talf, 43 freus? oreusional in woods bude just appearing shub 3 m. tag; petiole, 44 Dissocalys? common in undergrowth ed; flawers frinkist, 45 aplenium common in with crevies & parkets "totel", fruit red. on eliff, alove sea - se misea adent - shoul, 4) Xylorma racy flowering. in forest on redge shoul-1 on. Eacl; 48 Poychotia in frest in Alcefo slope fruit red. and at top of beach 49 Canavalia cathatica Thomas -strong - berbaccon, muy, climbing in trees, forceren dent in tall, flower 50 alloghyllus white, fruit quen. common at top of beach

5219 1 Polyscias grandbolia Volle.

common on flat and base
of cliff.

at base of eliffer, and on extension show a la feliples, and on

5 53 Soulames amara

5 39 Excrecaria
one true seen on beach

5 5% Scaevola fruteriere (Milf.) KI.
at top of beach, abundant
men, base of cliffs.

& 56 Emphorbies chamissonis Biss. small colony at toy of

7 17 Pot prodium sertofiendria common on flat also on Cimestone stopes

57 Clerodendrum speciosissimum common or plat alve beach

Et ly wing removaly

- 2 houle, m. talf; flowers
- white, fruit green.

bushy tree with milley
sal, said to be proisenous
to shin, also said to be
- wed as a purgation.

- le web r.m. talf,
- flower, lavende.

evbite beneath.

- land, creek.

- land, creek.

- hard one; for an tall,

malodoral; follower.

- sea det, fout quen,

- fruiting caly, reek.

Cearc, Cealhery frenchent.

. The gaporte next on flat. alling says Angapode. (and Torotice feeds) see hout the "aurai" a large miliped ound mitate it by flapping their wings at it till it ejects the acrid of Cuid from the glands into their face, affearing to enjoy it. Laye it improve their eyeriget. march 13 - Sinh-hole back of perinsula, down to tide level, filled with strongly Stachest water enough to cover the flat bottom several dn at high trop. Button languer cureat Euguita about 15 m. Call straight slendy trees with just not silt bottem, danger men

ented with fresh at the 15-75 m. Last. Epiperytes

chianas and the 2-0: M.,

3-5 m. & 15-25 m.

Lange in protects

composition, we go ained

dant erown with 17.5

divide a warding on in

32177 15 ong wing gymnomhizar pure stary en morech of french, mater about 2/3 sea water.

ice a simulant in fresh on steep sto pe 2 79 Danallia solida oli or fring on trey trunk 1 86 Europe nia introverton steep stope 5 81 7 inche manes

abundant on treptumb.

82 Very cho Cris caroline nois.

83 commencent shrub-in Prydotia

84 undergrowth on whise Prydotia

slope and idgs.

5 25 Litlaria

one estery seen, on treet und.

4 27 Chhimbiga occusional in frest.

88 Kotsia, a Tabernamontano, lepiniopis occasionat in forest on steep stoper

89 Prychotris

didenges true 15 m. tall, stander, of ansety flowering, cally a color of and anthy stacking with about and anthy stacking in mudant and and a loss fring "in ret art aboundant."

Cary Corvers tonge of all all and and.

Cary Corvers tonge of acting true, Corvers tonge of acting true.

freit, ran, gint.

showers white, ripe forwers white, ripe fuit od.

herboup 12/2. Call.

flowers strongly contact, white with a lange Tube, fing for and information of information for the suit, frenchent.

prachit same as p.110 32200 Hanging

5 Elpisonia was bellifted

: It is the live !! - and in the section

pedatinerium Meison.

and contained ec - garage to facili

1 they were ten with our in walty -

= 06 Vagety tria vienzimi - fran

erect growth sich is -i. wifining interior I would character a whole to sele you as to traced front out to had be will

57 Harris ale madeo any extre . Ile economical top of Years

18. 1 + fel existing 12/10/10 in to 1 -2-1

utem spring, teaver thin, growy, transferred, "oletelving to printing," reidamfrahai bishing thes) Tier leaves olarle grang glossy, sterile

"orgaics" ryoung recent, in - actually - xcen, -2 me Clerco som in-Localy - to hite.

1 c = greenwilled = 1 = 500 - In an early a dealth be at the second - white we - to me - to me. ordingene and i will see X.

Unert Chapel 1950 Palan - 26 mb front grown The Celti, 16- he stoled and accepating, are tring 16 Cupher Crig birts cover emonor cleared sand flat Tuft, stoloniferous. Fost. 17 Lefiteres efren var. subulatua Ever-run on sound at tol of breach arnall Cuft. 18 Cypeus javanicus var, on old concrete platfers amall tree 5 m. tall flower white the right fruit or anger-yellow. - ag in Upichel on wet-rand rear many me neamly enster; flowers yellow. W Vigna, marina se earner in trust, of to prof-beach samoensis Rech. flower white "esumin" at troop benefit 22 Terminalia catappa L. et etching out across on beach, wort, washed . Ey salt water at high inde 23 Desmodium umbellatur base of ECiff, top of beach

ll whithaful 123 1950 Palan warmy? war wall margine emall tree with erry Heritien - Cithoralia thromenent placesous Luamp, of self stil nort, at base. sterile true 10 m. tall, 2 mall 25 Bruguing Empugala from wat and "kneer" a feel trees in hate of I want , would got - AN EN work to metor. - 2 mall from no, sterile. 2. 26 lectoritetum auerom a few young plants at edge of warm released Commenters same relifer just about prostout y ... = = ... 27 Hedyotis allisto frenche (a/han) in Le ce ver a period. Contra e evices fin Eliffer, sommen planer white. is the week ; of consers of mount forlanensis danging from chiff - we - - by, i morting from surviva - guen, wife one, transcrient pinking white. Langled vine. 29 alyxia common on elifo verns conspicuously 30 Humanta on try trunte on elify - pullucid. vine - like, of worker greenish. genial Come - 2 mall struct; stime, - white; fruit green. I he my ta sentition (6.1 lest. showly in boud only.

l trule thatist 125 124 1950 Palan of them ! grange of classes in second Cyclopelter bringie . / Lin mestra comiser a service be there we to show it of the lining well; at the -- i was supported to the second monthly and inside of some -same - saturdi rang h lemestery serfect about action of an incine Mammea odorata (Raf.) Kosterma of week the transfer of the carried in the same Yacara deglis - Liver bower to Or - They - Con ger, stanile erunania in Exect stender about 4 m, tall 12. Kandig wehinehinensis - rify fruit bright, wat rea imal 39 Capterium molus in center collect, ofered very common on - Liberry. everyt dimerton. eleigourge enclosing, 40 Kolypodium fordi crowded. carrenon on tree I work (also seen or governd) occasional on rich and Lus trumber

Korer-Ngarehaber 131 130 1951 Pacan 37763 Jephy anther rozen "sarga (" 3 19 Leen Lancider free fre, 8 70 group topby them firetum March 12. Mgamie! grandell they 5 my. Lat Er from a retuite probably persisting from cate yellow. March 23 - main road e moth of ngenebried forwers yellow. 72 fistani (centre connalina locally corn mon along words iol March 23 - seafelane - in who is your the side of Mga a la cale de constitue de la constitue de is exacted ground prostrate woundtled. alysica pris for cours dig let brick abundant querd corn, red, tuning all mos outside -product, closer, natles; 74 Deamodium triflorum flower grungels. abundant of dund cover erect; flower opins jungels. 75 Caloris inplata CIMMIN

Ygarabiabesang 133 132 1950 Palue ceetarmal, up 4 77-Cfile vecile and policy of the party of the service of the serv 32276 Cleselynon the in tall here ye freezelish of ren; flowers olcellet times yellow. 10 para line over 10 75° La 35.5° on well - six 4 of isiand extenser like ne 17 a. perculing turpethum climating we treet. corremon in the chetair. LCoffee 1 extension dia res similar 79 Camaralei cathartica Thomas care one initial draw elepter one Tues. Luciring aring. ALCO (flowers furfalle, rank in bushes at Huch sled ealquest gransh 80 Findlisty . Ohlyschespan complese in well of wand in la place ereil hech 81 acrehy netreers rate on roll roads of ence of a supported in day of your Er Ving relief et al congrubos cart in conger in healing Cangled ming flowers 83 ccilored lerinated . white frates in midle abound interestly in tweeter places in of larner. concete in with erect it will all voort in mital, 84 Callicarles candican. flower tiglet pringle, feat back of whop hearly I free to tree ming queigle. love churnful entine 85 Dendrocalamos faberi Ridley a near det. McChure 5-15 cm. apart, 4 m-tall, country on love 2 1 fre darligien, about 2-25'em. of road cut thick, somewhat highest

Palan Rod roll is openatore with landaming 137 1950 Hg a alraberang 136 March 17 - worth doje of evertern peninsula Lice in a marketing server second on a well. open ale for with y we in or Gleislunia reallered Paralarier, send - hours, Touch 21 cm. beaut high of a stope - second growth, regard. A there we took we find god to 85° with store large true, explicitly along lavier. Ponteria Tue um. tall, gray-green, com our at edges of frost flower Joyun. 96 - Lehizaca olieholoma orcea sion of on fact filos 97 Cury a fationies about 3 m. Tal, c cil; flower, white somewhat oclasional on open fromill-acented, crossed electer 98 dymplocos pulanensis zhoule z mila Golacie with relighter sweetist occasionation of un pern-covered tade; flowers in the te. - 1 Confre 979 Di meria chloridi formis occasional on span stope 2300 Tichomarcs javanium very daily green nouse on finest follow 01 Villa sig common or the limite 62 Krilotun, nudum penelony rouge on the trumbs 13 Cyathen tree; turk - 2 Consler, 7m. oreasional in fourt - big (, covered - with botton really-leafe bases, done french in my lower may of - uju golden acolly function a seconding

. It garale aberan 139 1950 Palan it is the fact of the second of the contraction. 22304 AT 10 - 7-12 Com commence and according of Linder ga and it and a record to the Co. would of a construction it Lingling ya and word as it is of wind in feels ford according ical. a son fruit floo 0: Androjogen herifolius su. in it of stope bridge , we much tet -helaginella - FEV- Expe - For greater in thicketouloug in "

1951 / slave Como Lucy 7 mile Co, you come in elicibety easter "- My" - Being Being pedatinervium attable traverand of Jane 1 and Jane 5 to . a war which - - Antherman a restriction of the section of the 1: 4 ded a tal they -42 Telebrasia 100 1000 one is an a preading His with the second of the second try, flores in. to all of sel and in a ale er lich it more -yellsty orela en sistem de consulta falla to Sign I am more comment. Told = Liain Let - Lee = 45 - Liver Lenia - mall plantalien gard brown for some sel. reterily buch 32345 Heir frest, of grand und. up Limiteria ierrall filantation, " erestly irrited or _ niddledity to coity. 47 Levelenia sometres in malagary tall trey tarts of taking offer trigly and boun flate, (filet line of ment spected up and ound. presitty olocard reling) tange champion tree trush langled with for the Lygodium, salinfolium in a mall trees and growing in Chiefel, strubs. · maxed eneith di zeenden, "faciallas kumien and decire inater. ", mgoda"

autufixe's 151 1950 Palan 32359 Pele wi funda enert. common or release wil . 25 mole poss. Cay, reading the lastorea exalabatheim forming Coulding Co occurator, roles in wi 61 gaicheria de meani, o ferrigina com men, infreendly so alcability on ordering a ret, encitary or construct on flat volume 200 "be hulains" 63 day or porscium foling no in deconverse in a some is a secretarion of feel in winds EN Clackanther to me and promise with the print "prisebas brunnen" to year this is the feet of it will be not any my tea there will a un. co fact as men ochrendant an infleasie torring at a cit isolateral, sometime for a second 12011. al a comment of the property. 17 Kleyn ale 25 Malsiro (Lour.) Malsiro it it grantai, leaves an work and well just 69 Pilotum in local of taly bound 70 andreplying in an house of its among 200 May of CLEAR 77 (Westman) intale a the "klywitel" as vir mon on esteely elotte.

7: Caring tagal (Perr.) C.B. HAbb.

This made teaming - the ly frequency in either of intelligible to stand ourse property recupied by propares - In it is over. The side, are correctly thicker, of I king, Egmflower, feating, and Calofiley flam, -to. will tangle of quicking at the total of - 2 loter. Tell is alcan except for a few tought the ometh, trelactoring. Aurfall a l'orer funors and modger, but - his funciate by hant, by

avõ

also allong says it is dyfaint, that it is common in Babellade.

march re- airai

brought in by informant

30374 Cycas circinalis

10 Km 77 Cassia sia mea

y 78 Einnammen Carolinerse Kaidy.

2 pt 19 Breelagisdudy

7 80 mallotus

& 71 Ameration according for.

\$ 31

5 33 dehepplera volvala

8 84 Lidg Mornhipolig

5 85 Colubring asiatic.

\$ 1 86 Learning era cocciona

e 97 Elevelend un inem

18 Landana caman

"blemia" formerly will

"flower yellow, said

to book item individual

by the peracently

orienation when broken.

"siama" (with glottal) staminal

grown range, pidillate (purplish stark.

"ulaou" florer yellow.

"un" has fictales

"ngirvalen"

"bungarman" a "frangerman"
leowork will, stroke sie.

ostar when erweled.
"bie ale" flowers range.

"terihal"

"my omore" 20 (comes

"un fre re l'hervers

wil into etamen and

ely "french distriby.

"bung" flowers yellow

aning deep orange red. when in

32389 Caryela milis

i governmenten

9-1) frair-x 1x /222 - center

32379 - 3231 as how

march of west coast

Agathang not dinelail,

Month of Coast fringed

with rhangeness of les

most fringe Lither the aprents

of fringe Lither the aprents

of fringe Lither the aprents

from what is feeling

Lither they steer les

many her d'and a feeling

rendered from a group over

with ferm afrein a group over

with ferm afrein is wire

see additions tidas reals

exist

Tamping straight derived in the second of th

down for many forest learning the second har met been land touth of which we have the second of white good second to the second

back income 159 · alder formal start all som March - Renge Frent i'r so je liik somall exact, of form in all will, many me in recelly thinks at what beach 4 - antrophyum epipligated on about they trumb charte green, go com. 93 Vitla ia efrifiling tic on old try trunk 94 16 type blicen flightly tir on old lay been spreading till, Rhizofellorg africulata Bl. acrial relation even in strallow work le from small trance. freep see not bottom wordy line 96 oThereuna gegantes enfolderer of the relief climbing in the ingrover 1 com del cursos "kldelel" (: this leafed) scandent shoul -2000 rent-showed enfoty 1.5 m. - Early; feetale of wenich yellow worthlood epifelry tie on oldtrectuals inside with trange; life flectry, retricted we is fruitte fratch beneath distally arrachter, finere 93 greatland affection - cutute, gragiant. "pelan"

324066 Trichmanes omphalodes (Vill. 161 1950 Jalan 160 see below March 23 Me Esperatout vilege hapon-fraction along fruit in interest "bezubuhu" VI LENT in this elect golds in the a still there is a still the in - I have been the second - with a real contraction of the contraction - set to be men justice such cove now intheire 3 12 milionica? to the first of the 1) mi = aca per corresponds on some of the March many 28 - Itan, first 1 Fin . estuary south of me'ebe ubul thicket is tax of eline section, many was ename - struck 2 m. tall; 24 Heavy otis - florer white "holse" edycoffliction of a hadi 05 aranthus ilecifotius in mangrove plat tedal, with pelling extern It blowering stems est; flower while, trounich truadthirat - E ce et, flowers white. Of Ofhirmhingo 1-75--b-ande out-base of exist, rage of many we seemy 07 Poly podicera 2 102 . on westical rock fray above strain straight, the I shaped mer grant mumbers of metalli withry windles in under Brugarios, tres arrul ling of whi

Balellart 167 1956 ralay 166 flower pale green one seen, le set en -stratly friched will 27 Centing of cent - ou ground (4 go will, "32419) -2 to my a Cocumbert at tray abundant wealty in steep Alexera brouge. terrestrial cars, on stary obje, They will. 30 asplerium common tenestrial croshed try, and, early. 11 Lively NI edge of eliff, esement e is hed trep, - leaver edge of cliff, common - sithy be neath; fruit que de l'el spea" itig will smooth 7) Lubyeria pale baile; all sien steril defining at the interest of "be si'cl 1 ment from just south of me'eld rebut to just south of island 1- rimi. with the saward slope is exceldely thick mixed firest, the fest sofa, - conon Moveldadt.

· Ma ch 90 - Ngeremetenget old barrite min uneroded to arts covered by graichenia, Hedystie, Lycoprodium aun-mun, etc. with Neperley, exatleed Lymplices and thele stormer, etc. Ca ended place. Hedyntis tomentora and a could of qualter are corring. inthites are - acutual l'egetation on cauxité in much liky that on the formed avoided of caming -so il. Perobably developed first on Causaité · Neurby are - se veril a ear other except for . recine was Pandanus. There a car bart apparently all been burned over. The bounit does not seem · to have been recently burned, through large footchia a p training colt-for wish of gues.

Kod roll 19 first

for soll k fow shoth

of familie miner regelation

of val general regelation

for we up of erroled

bauxing of erroled

regelation on bauxing

regelation on bauxing

resort then a views

across merebeinou

yeart and north,

form 17 of trait bet

vocalelent 177 176 1740 Valan weet, J. Eren. Law. Leaves story. 3216, Hby & Cantlling palements Hosek - hard in low regulation Cuit beach. 6. 7. errig one treat seen on mineda en 65 Lacciolete one plant your indepension - in our ned and 66 Dimeria Illoridiformio common on mined area . gellow'll rend. 67 Carrything reckering on mireday, fra acitic on grass

Fruit at Kagman RY.

We Bos m. James with and forest

W 78.5° 1386°

W 78.5° 1386°

W. 76.5° D 72°

man. 16 show of frond the on unitable of the surface of frond, 0.3 m. from surface of w.78.5, D80

rome, 1-4 m. from water

beautiful wigh, from rocks

(1-ending) W.78 D79.5

Muily of genebeled, Rome 1130 a.m. secon, at wereast of the form - present in offer 12.85 1 86.81 is a my Thin school 11.79.5 (184.5 of regulation same complete shad of open sided ga songet en. -societ whether W.77 D35 same, compute shade regulation 11.8.135.6 grand complete o eliquegiation 21 - 1 . 1 . 1 en 1. 97. 1 . 97. in course to louistation -comed to 11 1/2 of 1 proper - 1-1 1 mas before rente. (182 187.5

And sun, in ground on hard truly in 185 5 9115' full my 1875 1792-

186 La Attydometer Pand at Mulathaful Man 13 80°F 1.016

